

DET NORSKE VERITAS

EC Type-Examination Certificate

Application of: Council Directive 96/98/EC of 20 December 1996 on Marine Equipment as amended by directive 2002/75/EC, issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Directorate. This certificate is issued by Det Norske Veritas under the authority of the Government of the Kingdom of Norway.

CERTIFICATE NO. MED-B-4735

This Certificate consists of 3 pages

This is to certify that the

Surface materials and floor coverings with low flame-spread characteristics: Adhesive

with type designation(s)

MARISTICK 1700 A & B

Manufacturer

Maris Polymers

VIOTIA, Greece

is found to comply with the requirements in the following Regulations/Standards:

Annex A.1, item No. A.1/3.18a and Annex B, Module B in the Directive. SOLAS 74 as amended, Reg. II-2/3.29, II-2/3.40.5, II-2/5.3.2.4, II-2/6.2, II-2/9.7.1.1.1, II-2/9.7.4.4.3.1 & X/3, 2000 HSC Code 7.4.3.4, 7.4.3.5, 7.4.3.6 and IMO FTP Code

Further details of the product and conditions for certification are given overleaf.

Place and date
Høyik, 2008-05-15
for Det Norske Veritas AS

This Certificate is valid until 2013-05-15

Notified Body No. 057:

Kristen Ülveseter
Manager, MTPNO370
Department Systems & Components

Amir Dzaferi

DNV local office: DNV Piraeus



Notice: The certificate is subject to terms and conditions overleaf. Any significant changes in design or construction of the product, or amendments to the Directive or Standards referenced above may render this certificate invalid. The product liability rests with the manufacturer or his representative in accordance with Council Directive 96/98/EC, as amended.

The Mark of Conformity may only be affixed to the product and a Declaration of Conformity may only be issued when the production/product assessment.

module referred to in the council directive, is fully complied with.

any person suffers loss or damage which is proved to have been caused by any negigient act or omission of Det Norske Verlitas, then Det Norske Verlitas shall pay compensation to such person for his proved direct loss or damage. owever, the compensation shall not exceed an amount equal to ten lines the fee charged for the sensition in question, provided that the maximum compensation shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed USD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million. In this provision "Det Norske Verlitas" shall never exceed uSD 2 million to the "Det Norske Verlitas" shall never exceed uSD 2 million to the "Det

DET NORSKE VERITAS AS

VERITASVEIEN 1, 1322 HØVIK, NORWAY

TEL: (+47) 67 57 99 00

FAX: (+47) 67 57 99 11



Cert. No.: MED-B-4735 Job Id.: 344.1-001373-1

Item No.: A1/3.18a

Product description

MARISTICK 1700 A & B

is a polyurethane two component adhesive. The measured dry mass of the adhesive: 1000 g/m².

Application rate max. 120 g/m².

The maximum gross calorific value: $14.0 \, MJ/kg$ of dry mass.

Application/Limitation

Low flame spread surface material, not generating excessive quantities of smoke nor toxic products in fire.

Approved for use on non-combustible substrate with density of at least 576 kg/m³ (IMO MSC/Circ.1004).

Each product is to be supplied with its manual for installation and use.

Type examination documentation

Test report: No.RTE1608/00 dated 15 May 2000 from VTT Building Technology Fire Technology, Finland.

Test report: No.RTE1697/00 and No.RTE2670/00 both dated 31 August 2000 from VTT Building Technology Fire Technology, Finland.

Tested according to IMO FTPC Part 2 and 5 and ISO 1716:1973 (calorific value).

Marking of product

The product or packing is to be marked with name of manufacturer and type designation and Mark of Conformity (see page 3).



DET NORSKE VERITAS AS

VERITASVEIEN 1, 1322 HØVIK, NORWAY

TEL: (+47) 67 57 99 00



Cert. No.: MED-B-4735 Job Id.: 344.1-001373-1

Item No.: A1/3.18a

Mark of conformity

The manufacturer is allowed to affix the Mark of Conformity 2 according to Article 11 in the Council Directive 96/98/EC on Marine Equipment and issue a Declaration of Conformity, only when the module D or E or F of Annex B in the same directive is fully complied with.

The quality system for production and testing shall be approved by the Notified Module D:

Body.

The quality system for inspection and testing shall be approved by the Notified Module E:

Compliance of the products to type as described in this EC Type-Examination Module F:

Certificate must be verified by the Notified Body who also shall issue a

Certificate of Conformity.

END OF CERTIFICATE



